

Date: Tuesday, 15/07/2008 4:12:36 PM
User: Julie Lecocq

Process Sheet

Customer : CU-DAR001 Dart Helicopters Services
Job Number : 40523
Estimate Number : 10469
P.O. Number :
This Issue : 15/07/2008 S.O. No. :
Prsht Rev. : NC
First Issue : / / Type : SKIDTUBES
Previous Run : 40522

Drawing Name : MID TUBE ASSEMBLY

Part Number : D3391023
Drawing Number : D3391 REV G
Project Number : N/A
Drawing Revision : G
Material :
Due Date : 08/08/2008

Qty: 1 Um: Each

Written By :
Checked & Approved By : JUL 08.7.16
Comment :

Est. A 05.10.20 New Issue KJ/EC
Est. B 06.02.10 ECN773 dwg rev.D EC
est C 07.03.20 rev F dwg EC
est D 07.03.28 re-format EC
est E 07.10.31 ecn 1053P EC
Est Rev:F ECN 1056 07-11-13 DD verified by: EC

SCRAP

Additional Product

Job Number:



Seq. #: Machine Or Operation: Description :

1.0 D25001100 Skidtube Extrusion



Comment: Qty.: 1.0000 Each(s)/Unit Total : 1.0000 Each(s)
SKIDTUBE EXTRUSION

Pick:

Qty Part Number Description
1 D2500-1-100 Extrusion

Batch

37065

SL 8-7-17

2.0 D3391021 Fwd Tube Assembly



Comment: Qty.: 1.0000 Each(s)/Unit Total : 1.0000 Each(s)

Fwd Tube Assembly

Batch:

B 36192

BE 08-07-21

3.0 SKIDTUBES 1 SKIDTUBESS RESOURCE 1



Comment: LANDING GEAR RESOURCE 1

1-Cut tube to finish length as per Dwg D3391

2-Identify as D3391-023

3-Drill pilot holes using DT8796 (Do not drill "B" holes) and drill only 1 fwd saddle hole on one side only as per Dwg D3391

4-Open saddles and GHW holes to Ø0.375" except for fwd saddle hole of detail "J"

5-Remove .030" from Fwd indexing Ridge as per Dwg D3391

SL 8-7-17

H:\FORMS\Quality Assurance\approved\CAUTION

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: D3391-023 PAR #: N/A Fault Category: Prod/Kid/hbe NCR: (Yes) No DQA: ID Date: 08/14/16
QA: N/C Closed: ID Date: 08/10/16

NCR: <u>40523</u>		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			
08.07.17	3	Section X-X was applied to AFT end (5.00" deep) (Removal of mat'l on D2500 extrusion)	<u>RE</u> 08.07.17 <u>QSI</u> <u>042</u>	D3389-1 web overlaps in this area. Possible structural and twisting of web problems <u>RE</u> 07.07.17 Recommend scrap + replace	<u>SL</u> 8-7-17	<u>S</u> 06/7/17	<u>RE</u> 07.07.17 <u>QSI</u> <u>042</u>	<u>S</u> 06/07/17
		web was put in too far on AFT end RC. Lack of attention						

NOTE: Date & initial all entries

Date: Tuesday, 15/07/2008 4:12:36 PM
User: Julie Lecocq

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: MID TUBE ASSEMBLY

Job Number: 40523

Part Number: D3391023

Job Number:



Seq. #:

Machine Or Operation:

Description :

6-Remove indexing ridge on Fwd & Aft end of skidtube as per Dwg D3391

7-Deburr

8-Drill #30 pilot holes using wearplate Jig DT8217 Identify Ø0.250" holes with paint marker,

9-Open wearplate holes of D3391-023 assembly detail section G-G to Ø0.250" (14 holes) as per Dwg D3391 and 2 holes in section Detail "J", do not open wearplate holes of section "J"

10-Open wearplate holes of D3391-023 assembly detail section H-H to Ø0.297" (20 holes) as per Dwg D3391

11-Open .375" holes to .438" ***do not open fwd saddle holes***

12-Locate D3391-021 in D3391-023 at 9.00" (see view z-z)

13- Transfer drill one fwd saddle hole only to .188" dia, transfer drill all remaining fwd saddle holes using DT 8149 locating from previously drill .188" dia hole, using t-pins and clicos to ensure perfect allingment, open up previously tranfer drilled pilot holes in D3391-023/-021 to 0.438" dia. in D3391-021

14- Transfer drill 2 wearplate holes into D3391-021 using DT8217, locating from two previously drilled holes, drill remaining wearplate holes into D3391-021.

15- Locating from two fwd wearplate holes drilol remaining 6 wearplte holes in D3391-021 using DT8937

16- Open 2 fwd wearplate holes in D3391-023 to .250" dia.

17- Open 12 wearplate holes in D3391-021 to 0.297" dia.

18-Deburr and blow out all chips from inside tube

4.0

QC5

INSPECT WORK TO CURRENT STEP



Comment: INSPECT WORK TO CURRENT STEP

5.0

HAND FINISHING1

HAND FINISHING RESOURCE #1



Comment: HAND FINISHING RESOURCE #1

Chemical Conversion Coat as per QSI 005 4.1

SL8-7-23

SL8-7-17

BE
08-07-21

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Tuesday, 15/07/2008 4:12:36 PM
User: Julie Lecocq

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: MID TUBE ASSEMBLY

Job Number: 40523

Part Number: D3391023

Job Number:



Seq. #:

Machine Or Operation:

Description :

6.0

QC3

INSPECT POWDER COAT/CHEMICAL CONVERSION



Comment: INSPECT POWDER COAT/CHEMICAL CONVERSION

8-08/09/23 @

7.0

D33891

Web



Comment: Qty.: 1.0000 Each(s)/Unit Total : 1.0000 Each(s)

WEB

Pick:

Qty

Part Number

Description

Batch

1

D3389-1

Web

40558

A/R

Sikaflex-241/-291

107888

Sikaflex expire date:

8-11-1

Start: 8-7-23 Time: 3:00

Finish: 8-7-24 Time: 8:15 am

SL 8-7-23

8.0

SKIDTUBES 1

SKIDTUBESS RESOURCE 1



Comment: LANDING GEAR RESOURCE 1

1-Open float bag holes as per dwg

2-C'sink float bag holes as per dwg

3- Prepare tube for welding

4-Bond web in place as per Dwg D3391 & QSI 015.

Adhere for 12 hours)

SL 8-7-23

9.0

QC5

INSPECT WORK TO CURRENT STEP



Comment: INSPECT WORK TO CURRENT STEP

8-08/09/24 @

10.0

D36811

Spacer



Comment: Qty.: 5.0000 Each(s)/Unit Total : 5.0000 Each(s)

SPACER

batch:

8235738

BE 08/07/24

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Tuesday, 15/07/2008 4:12:36 PM
User: Julie Lecocq

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: MID TUBE ASSEMBLY

Job Number: 40523

Part Number: D3391023

Job Number:



Seq. #:

Machine Or Operation:

Description :

11.0

SKIDTUBES 1

SKIDTUBESS RESOURCE 1



Comment: LANDING GEAR RESOURCE 1

Weld crossbolt spacer as per dwg D3391 & QSI 004

VISUAL WELDING INSPECTION

12.0

QC9



Comment: VISUAL WELDING INSPECTION

13.0

QC5

INSPECT WORK TO CURRENT STEP



Comment: INSPECT WORK TO CURRENT STEP

14.0

POWDER COATING

POWDER COATING



Comment: POWDER COATING

Powder Coat White Gloss (Ref. 4.3.5.1) as per QSI 005 4.3

START TIME:

OVEN TEMPERATURE:

FINISH TIME:

Pressure wash m-k 08/27/28
8:50
32001
9:20

M108523

m-k 08/27/30

15.0

QC3

INSPECT POWDER COAT/CHEMICAL CONVERSION



Comment: INSPECT POWDER COAT/CHEMICAL CONVERSION

16.0

ALS41032130

Insert



Comment: Qty.: 20.0000 Each(s)/Unit Total: 20.0000 Each(s)

INSERT

batch:

or equivalent

per QSI 017

m/05719

SCVAP

FL

17.0

HAND FINISHING1

HAND FINISHING RESOURCE #1



Comment: HAND FINISHING RESOURCE #1

Install inserts as per dwg D3391

touch-up holes in D3391-021 with alodine

FL 08/07/31

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Tuesday, 15/07/2008 4:12:36 PM
User: Julie Lecocq

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: MID TUBE ASSEMBLY

Job Number: 40523

Part Number: D3391023

Job Number:



Seq. #:

Machine Or Operation:

Description :

18.0

QC5

INSPECT WORK TO CURRENT STEP



P70

Comment: INSPECT WORK TO CURRENT STEP
Inspect each insert using DT8821

08/7/31 20

19.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1
Identify and Stock
Location: _____

20.0

QC21

FINAL INSPECTION/W/O RELEASE



Comment: FINAL INSPECTION/W/O RELEASE

Job Completion



Scrap

mf-
08-10-10


Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
	1						

Part No: D3391-043 PAR #: NA Fault Category: Fat/Skid tube NCR: Yes No DQA: D Date: 08/10/16
QA: N/C Closed: D Date: 08/10/16

NCR: <u>40523</u>		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			
08-08-13	18.0	Issue was raised, see NCR 08-074, from a customer complaint. Recorded on NCR. Interference with ground handling and float	<u>BS1412</u>	Rework tube per DSI 9364 - Pick 2x D3591-1 <u>B 31514</u>	<u>8-8-13</u>	<u>08-08-13</u>	<u>BS1412</u>	<u>BS1412</u>
08-08-13	18.0	Issue incorrect hole was opened up in the tube for DSI 9364 re-work. Employee opened up the most FWD saddle hole. P.C. Human Error.	<u>BS1412</u>	Scrap & destroy - NO replace	<u>8-8-13</u>	<u>08-08-13</u>	<u>BS1412</u>	<u>08-08-13</u>
		Lack of Attention.						

NOTE: Date & initial all entries



D3391-041 ASSEMBLY

RELEASED
27-11-87

D3391-041 FLOAT SKIDTUBE ASSEMBLY PARTS LIST


QTY	PART NUMBER	DESCRIPTION
1	D3391-041	FLOAT SKIDTUBE ASSEMBLY
1	D3391-011	FWD TUBE ASSEMBLY
1	D3391-013	MID TUBE ASSEMBLY
1	D3391-015	AFT TUBE ASSEMBLY
1	D3564-1	WEARSHOE
1	D3564-3	WEARSHOE
1	D3564-5	WEARSHOE
1	D3566-1	GASKET
1	D3566-5	GASKET
1	D3672-3	WASHER
1	AN3C4A	BOLT
1	AN3C6A	BOLT
1	AN3C7A	BOLT
1	AN960C10L	WASHER
1	MS27039C4-12	SCREW
1	AN960C416L	WASHER

GENERAL NOTES

- 1) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
POWDER COAT WHITE (4.3.5.1) PER DART QSI 005 4.3
- 2) SPRAY INSIDE OF TUBE WITH A COAT OF LPS LABORATORIES "LPS-3" AFTER FINISH
AND AFTER INSTALLATION OF INSERTS. COAT ALL EXPOSED FASTENERS WITH
LPS LABORATORIES "LPS PROCYON" AFTER FINAL ASSEMBLY, CLEAN EXCESS
OFF POWDER COATING WITH MEK DEGREASER.
TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) UNITS: INCHES UNLESS OTHERWISE NOTED
- 4) USE DART DRILL TEMPLATE DT8217 TO LOCATE AND DRILL Ø0.297 SIZE HOLES
FOR WEARSHOE INSERTS. C'BORE AS NOTED AND INSTALL INSERTS EXCEPT
WHERE INDICATED.

G	REPLACE NAS INSERTS W/ AELS INSERTS SWITCH TO D3670-XXXX SPACERS FOR INSTALLING FLOAT BAGS, DWG REORGANIZED FOR CLARITY	DC	07.07.31
F	ADD SS WEARSHOE, GASKET REMOVE FWD SADDLE HOLE -011/-021	PH	07.01.18
E	CHANGE TOLERANCE, EASE MANUFACTURE	PH	06.04.25
D	UPDATE TOLERANCE, CHANGE HOLE SIZE	PH	06.01.23
C	LENGTHEN AFT EXTENSION	PH	05.09.27
B	DRAWING UPDATES	PH	05.06.10
A	NEW ISSUE	PH	05.02.07
REV.	DESCRIPTION	BY	DATE
DESIGN	PH		
DRAWN	JP		
CHECKED	JP		
MFG. APPR.	JP		
APPROVED	JP		
DE APPR.	JP		
DATE	07.07.31		
DART AEROSPACE USA, INC PORT HADLOCK, WA			
DRAWING NO. D3391 REV. G SHEET 1 OF 8			
TITLE 412 FLOAT SKIDTUBE SCALE NTS			
COPYRIGHT © 2005 BY DART AEROSPACE USA, INC THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.			

NO. 425023
W/OUT NOTICE
SHO COPY
TO
RNTD
FURNISHING
ORIGINAL COPY
TO AMENDMENT



D3391-043 ASSEMBLY

RELEASED
07.11.21

D3391-043 FLOAT SKIDTUBE ASSEMBLY PARTS LIST


QTY	PART NUMBER	DESCRIPTION
1	D3391-043	FLOAT SKIDTUBE ASSEMBLY
1	D3391-021	FWD TUBE ASSEMBLY
1	D3391-023	MID TUBE ASSEMBLY
1	D3391-025	AFT TUBE ASSEMBLY
1	D3564-1	WEARSHOE
1	D3564-3	WEARSHOE
1	D3564-5	WEARSHOE
2	D3566-1	GASKET
1	D3566-5	GASKET
24	AN3C4A	BOLT
12	AN3C6A	BOLT
8	AN3C7A	BOLT
44	AN960C10L	WASHER

GENERAL NOTES


- 1) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
POWDER COAT WHITE (4.3.5.1) PER DART QSI 005 4.3
- 2) SPRAY INSIDE OF TUBE WITH A COAT OF LPS LABORATORIES "LPS-3" AFTER FINISH AND AFTER INSTALLATION OF INSERTS. COAT ALL EXPOSED FASTENERS WITH LPS LABORATORIES "LPS PROCYON" AFTER FINAL ASSEMBLY, CLEAN EXCESS OFF POWDER COATING WITH MEK DEGREASER.
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) USE DART DRILL TEMPLATE DT8217 TO LOCATE AND DRILL Ø0.297 SIZE HOLES FOR WEARSHOE INSERTS. C'BORE AS NOTED AND INSTALL INSERTS EXCEPT WHERE INDICATED.

DESIGN	<i>TH</i>	DART AEROSPACE USA, INC	
DRAWN	<i>JC</i>	PORT HADLOCK, WA	
CHECKED	<i>h</i>	DRAWING NO.	REV. G
MFG. APPR.	<i>h</i>	D3391	SHEET 2 OF 8
APPROVED	<i>h</i>	TITLE	SCALE
DE APPR.	<i>h</i>	412 FLOAT SKIDTUBE	NTS
DATE	07.07.31	<small>COPYRIGHT © 2005 BY DART AEROSPACE USA, INC THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>	


NO. 40523
WORK ORDER
WITHOUT NOTICE
SUBJECT TO MEMORANDUM
UNCONTROLLED COPY
ENGINEERING
RETURN TO
SHOP COPY
SHO COPY




D3391-1 CUTTING DETAIL
(MAKE FROM D6013-047 SKIDTUBE MATERIAL)




D3391-011/-021 BENDING DETAIL
(MAKE FROM D3391-1)




SECTION A-A
(SCALE 1:5)



SECTION B-B
(SCALE 1:5)



SECTION C-C
(SCALE 1:5)




VIEW Z-Z
(SCALE 1:5)

DESIGN		DART AEROSPACE USA, INC	
DRAWN		PORT HADLOCK, WA	
CHECKED		DRAWING NO.	REV. G
MFG. APPR.		D3391	SHEET 3 OF 8
APPROVED		TITLE	SCALE
DE APPR.		412 FLOAT SKIDTUBE	1:10
DATE	07.07.31	COPYRIGHT © 2005 BY DART AEROSPACE USA, INC <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>	


RELEASED
07-11-06 11P

NO. 4053
WORK ORDER
WITHOUT NOTICE
SUBJECT TO AMENDMENT
UNCONTROLLED COPY
ENGINEERING
RETURN TO
SHOP COPY



D3391-011 DRILLING DETAIL

D3391-021 DRILLING DETAIL




D3391-011 ASSEMBLY DETAIL

D3391-021 ASSEMBLY DETAIL

RELEASED
07-11-06

D3391-011/-021 FWD TUBE ASSEMBLY PARTS LIST


QTY - 011	QTY - 021	PART NUMBER	DESCRIPTION
X		D3391-011	FWD TUBE ASSEMBLY
	X	D3391-021	FWD TUBE ASSEMBLY
1	1	D8013-047	FWD TUBE
1	1	D3401-041	TOW CAP
1	1	D3564-13	WEARSHOE
1	1	D3566-13	GASKET
9	4	D3670-4200	SPACER
4	4	D3672-1	WASHER
10	10	AN3C4A	BOLT
10	10	AN960C10L	WASHER
2	2	AELS-1032-130	INSERT
10	10	AELS-1032-225	INSERT









DESIGN		DART AEROSPACE USA, INC
DRAWN		PORT HADLOCK, WA
CHECKED		DRAWING NO. REV. G
MFG. APPR.		D3391 SHEET 4 OF 8
APPROVED		TITLE SCALE
DE APPR.		412 FLOAT SKIDTUBE 1:10
DATE	07.07.31	

COPYRIGHT © 2005 BY DART AEROSPACE USA, INC
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.

NO WORK ORDER
44503
SUBJECT TO AMENDMENT
WITHOUT NOTICE
RETURN TO
ENGINEERING
CONTROLLED COPY
SHOP COPY




DRILL THRU 21/64" (Ø0.328)
C'SINK Ø0.438 X 45° (BOTH SIDES)
(12 PLACES)






DRILL Ø0.297
INSTALL AELS-1032-130 INSERT
MS27039C1-09 SCREW
D3672-1 WASHER
AN960C10L WASHER
AFTER FINISH (TYP 4 PLACES)

D3391-013 MID TUBE ASSEMBLY PARTS LIST

QTY -013	PART NUMBER	DESCRIPTION
X	D3391-013	MID TUBE ASSEMBLY
1	D2500-1-100	EXTRUSION
1	D3389-1	WEB
12	D3681-1	SPACER
4	D3672-1	WASHER
4	D3672-3	WASHER
24	AELS-1032-130	INSERT
4	ALS4-428-165	INSERT
4	AN960C10L	WASHER
4	AN960C416L	WASHER
4	MS27039C1-09	SCREW
4	MS27039C4-08	SCREW



DRILL Ø0.391
INSTALL ALS4-428-165 INSERT
MS27039C4-08 SCREW
D3672-3 WASHER
AN960C416L WASHER
AFTER FINISH (TYP 4 PLACES)



DESIGN	PH	DART AEROSPACE USA, INC
DRAWN	SP	PORT HADLOCK, WA
CHECKED	SP	DRAWING NO. D3391
MFG. APPR.	SP	REV. G SHEET 5 OF 8
APPROVED	SP	TITLE 412 FLOAT SKIDTUBE
DE APPR.	SP	SCALE 1:20
DATE	07.07.31	COPYRIGHT © 2005 BY DART AEROSPACE USA, INC


RELEASED

NO. 40523


UNCONTROLLED COPY

FOR AMENDMENT


WITHOUT OFFICE




DETAIL J
(SCALE 1:5)




D3391-023 ASSEMBLY DETAIL




DETAIL K
(SCALE 1:5)




SECTION G-G
(SCALE 1:4)



SECTION H-H
(SCALE 1:4)



SECTION X-X
(SCALE 1:4)



SECTION Y-Y
(SCALE 1:4)

D3391-023 MID TUBE ASSEMBLY PARTS LIST

QTY - 023	PART NUMBER	DESCRIPTION
X	D3391-023	MID TUBE ASSEMBLY
1	D2500-1-100	EXTRUSION
1	D3389-1	WEB
5	D3681-1	SPACER
20	AELS-1032-130	INSERT




D3391-023 MID TUBE ASSEMBLY

- MATERIAL: MAKE FROM D2500-1-100 EXTRUSION
- INSTALL D3389-1 WEB TO OUTER TUBE USING SIKAFLEX-241/-291 PER QSI 015
- WELDING: PER DART QSI 004

RELEASED
07.11.06.11

DESIGN	PH	DART AEROSPACE USA, INC
DRAWN	SP	PORT HADLOCK, WA
CHECKED	SP	DRAWING NO. REV. G
MFG. APPR.	SP	D3391 SHEET 6 OF 8
APPROVED	SP	TITLE SCALE
DE APPR.	SP	412 FLOAT SKIDTUBE 1:20
DATE	07.07.31	COPYRIGHT © 2003 BY DART AEROSPACE USA, INC


NO. 48523
WORK ORDER
SUBMIT TO AMENDMENT
WITHOUT NOTICE
CONTROLLED COPY
RETURN TO
ENGINEERING
HOP COPY



RELEASED
07.11.08

DESIGN		DART AEROSPACE USA, INC	
DRAWN		PORT HADLOCK, WA	
CHECKED		DRAWING NO.	REV. G
MFG. APPR.		D3391	SHEET 7 OF 8
APPROVED		TITLE	SCALE
DE APPR.		412 FLOAT SKIDTUBE	1:12
DATE	07.07.31	<small>COPYRIGHT © 2003 BY DART AEROSPACE USA, INC THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR CORP OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>	

NO 40503
WORK ORDER
CONTROLLED COPY
ENGINEERING
RETURN TO
10/10/03
WITHOUT NOTICE



SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
NO 445523
WORK ORDER

NO. 164

AWS D17.1.2001
QUALIFICATION TEST RECORD

Name: Barclay Elliot
Job number: 37613
Part number: D3391013
Description: Mid tube ass.
Welding Process: Tig[☒] Mig[]
Base material: Aluminium
Current: AC[☒] DC[]

TEST REQUIREMENTS AND RESULTS

Visual:
Penetration:

pass[☒] fail[]
pass[☒] fail[]

UNACCEPTABLE

Cracks:
Undercut:
Pin holes:
Overlap (cold lap)
Porosity (surface):
Coloration:

pass[☒] fail[]
pass[☒] fail[]
pass[☒] fail[]
pass[☒] fail[]
pass[☒] fail[]
pass[☒] fail[]

Qualifier P. D. L. Date of Test Coupon 08-07-29

Welder Barclay Elliot Date of Test Coupon 08-07-29

The above named individual is qualified in accordance with AWS D17.1.2001 to weld